




FORUM Pipe Handling Equipment

Circular Buttons, Inserts and Dies Catalog
12.2017

Brochure Contents

DIMENSIONS.....	03
SLIP TYPE ELEVATORS.....	04
ELEVATOR/SPIDER	05
HYDRAULIC OPERATED POWER SLIPS.....	09
TONGS	15
MANUAL ROTARY SLIPS	16
MANUAL CASING SLIPS.....	18
SAFETY CLAMPS.....	19

GENERAL INFORMATION:

The manufacturing and assembly facilities of FORUM are located in the port of Hamburg, Germany and in Broussard, Louisiana, USA.

www.f-e-t.com

www.blohmvooss-oiltools.com

APPLICABLE STANDARDS AND APPROVALS:

MANUFACTURING/QUALITY / SAFETY STANDARDS:

API-8C, API-7k, API-Q 1, CE, Atex, GOST / DECLARATION, TR/RT NORSOK

TYPE APPROVAL CLASSIFICATION SOCIETIES:

ABS, DNV-GL, LR

TESTING CAPABILITIES:

ELEVATOR LOAD TEST UNITS up to 4000 ton

TORQUE TESTING UNIT up to 250 000 ft/lbs

ELEVATOR LINK PULL TEST UNIT up to 1020 ton/set, max. 720" (60 ft)


SLIP TEST UNIT up to 3200 ton

ALL LOAD CAPACITIES IN SHORT TON (TON) UNLESS STATED OTHERWISE


Dimensions

Circular Buttons, Inserts and Dies


Straight Tooth Tong Die:




Diamond Tooth Tong Die:




„T“ Clamp Die:




Circular Button:



Standard Insert:





„C“ Clamp Die:



Hoisting Equipment

Slip Type Elevators



BVT - 75/100

Body size	Pipe size	Quantity	Product Number
2 7/8"	1.315"	12	671021 Reducer
	1.66"	12	671022 Reducer
	1.9"	12	671023 Reducer
	2"	12	671024 Reducer
	2 1/16"	12	671024 Reducer
	2 3/8"	12	671025 Reducer
3 1/2"	2 7/8"	12	671026 Basic
	3 1/2"	24	671027 Basic

BVC - 75/100/125/150



Body size	Pipe size	Quantity	Product Number
2 7/8"	1.315"	8	671021 Reducer
	1.66"	8	671022 Reducer
	1.9"	8	671023 Reducer
	2"	8	671024 Reducer
	2 1/16"	8	671024 Reducer
	2 3/8"	8	671025 Reducer
4 1/2"	2 7/8"	8	671026 Basic
	3 1/2"	16	350903 Reducer
	4"	16	350504 Reducer
	4 1/2"	16	350105 Basic
5 1/2"	5"	16	350506 Reducer
	5 1/2"	16	350107 Basic
7"	6 5/8"	24	350409 Reducer
	7"	24	350110 Basic

BVC - 200

Body size	Pipe size	Quantity	Product Number
2 7/8"	2 3/8"	12	671025 Reducer
	2 7/8"	12	671026 Basic
4 1/2"	3 1/2"	24	350903 Reducer
	4"	24	350504 Reducer
	4 1/2"	24	350105 Basic
5 1/2"	5"	24	350506 Reducer
	5 1/2"	24	350107 Basic
7"	6 5/8"	36	350409 Reducer
	7"	36	350110 Basic
7 5/8"	7 5/8"	36	350111 Basic
	7 3/4"	36	350011 Oversized

Hoisting Equipment



Elevator / Spider



250 Metric Tonnes 7.5/8"			
Body size	Pipe size	Quantity	
3 1/2"	2 3/8"	18	351001 Reducer
	2 7/8"	18	350602 Reducer
	3 1/2"	18	350103 Basic
4 1/2"	3 1/2"	27	350903 Reducer
	4"	27	350504 Reducer
	4 1/2"	27	350105 Basic
5 1/2"	4 1/2"	27	350905 Reducer
	5"	27	350506 Reducer
	5 1/2"	27	350107 Basic
7 5/8"	6 5/8"	36	350909 Reducer
	7"	36	350610 Reducer
	7 5/8"	36	350111 Basic
	7 3/4"	36	350011 Oversized

Hoisting Equipment



Elevator / Spider



350-Ton 14"			
Body size	Pipe size	Quantity	Product Number
5 1/2"	4 1/2"	36	350905 Reducer
	5"	36	350506 Reducer
	5 1/2"	36	350107 Basic
7 5/8"	6 5/8"	60	350909 Reducer
	7"	60	350610 Reducer
	7 5/8"	60	350111 Basic
9 5/8"	7 3/4"	60	350011 Oversized
	8 5/8"	72	350911 Reducer
	9 5/8"	72	350111 Basic
10 3/4"	9 5/8"	72	351011 Reducer
	9 7/8"	72	350811 Reducer
	10 3/4"	72	350112 Basic
11 3/4"	10 3/4"	72	350912 Reducer
	11 3/4"	72	350112 Basic
	11 7/8"	72	350012 Oversized
14"	12 3/4"	72	351112 Reducer
	13 3/8"	72	350612 Basic
	13 5/8"	72	350413 Reducer
	14"	72	350113 Basic

Hoisting Equipment

Elevator / Spider



500-Ton 14"



Body size	Pipe size	Quantity	Product Number
5 1/2"	4 1/2"	45	350905 Reducer
	5"	45	350506 Reducer
	5 1/2"	45	350107 Basic
7 5/8"	6 5/8"	75	350909 Reducer
	7"	75	350610 Reducer
	7 5/8"	75	350111 Basic
9 5/8"	7 3/4"	75	350011 Oversized
	8 5/8"	90	350911 Reducer
	9 5/8"	90	350111 Basic
10 3/4"	9 5/8"	90	351011 Reducer
	9 7/8"	90	350811 Reducer
	10 1/4"	90	350512 Reducer
11 3/4"	10 3/4"	90	350112 Basic
	10 3/4"	105	350912 Reducer
	11 7/8"	105	350012 Oversized
14"	11 3/4"	105	350112 Basic
	12 3/4"	135	351112 Reducer
	13 3/8"	135	350612 Reducer
	13 5/8"	135	350413 Reducer
	14"	135	350113 Basic

500-Ton 24 1/2"

Body size	Pipe size	Quantity	Product Number
14"	12 3/4"	135	350112 Reducer
	13 3/8"	135	350612 Reducer
	13 5/8"	135	350413 Reducer
	14"	135	350113 Basic
16"	16"	165	350113 Basic
20"	18 5/8"	195	351213 Reducer
	20"	195	350113 Basic
22"	22"	225	350113 Basic
24"	24"	225	350113 Basic
24 1/2"	24"	225	350513 Reducer
	24 1/2"	225	350113 Basic

Hoisting Equipment

Elevator / Spider




750-Ton 14"			
Body size	Pipe size	Quantity	Product Number
5 1/2"	4 1/2"	60	350905 Reducer
	5"	60	350506 Reducer
	5 1/2"	60	350107 Basic
7 5/8"	6 5/8"	72	350909 Reducer
	7"	72	350610 Reducer
	7 5/8"	72	350111 Basic
9 5/8"	7 3/4"	72	350011 Oversized
	8 5/8"	96	350911 Reducer
	9 5/8"	96	350111 Basic
10 3/4"	9 5/8"	120	351011 Reducer
	9 7/8"	120	350811 Reducer
	10 3/4"	120	350112 Basic
11 3/4"	10 3/4"	144	350912 Reducer
	11 3/4"	144	350112 Basic
	11 7/8"	144	350012 Oversized
14"	12 3/4"	168	351112 Reducer
	13 3/8"	168	350612 Reducer
	13 5/8"	168	350413 Reducer
	14"	168	350113 Basic

750-Ton 24"			
Body size	Pipe size	Quantity	Product Number
17"	16"	216	350913 Reducer
20"	18.5/8"	240	351213 Reducer
	20"	240	350113 Basic
22"	22"	264	350113 Basic
24"	24"	264	350113 Basic

1000-Ton 24"			
Body size	Pipe size	Quantity	Product Number
17"	16"	216	350913 Reducer
20"	18 5/8"	240	351213 Reducer
	20"	240	350113 Basic
22"	22"	264	350113 Basic
24"	24"	264	350113 Basic

Rig Floor Equipment

Hydraulic Operated Power Slip Elevator



PSE-1000 - Drillpipe

Body size	Pipe size	Quantity	Product Number
3 1/2"	2 3/8"	42	351 001 Reducer
	2 7/8"	42	350 602 Reducer
	3 1/2"	42	350 103 Basic
4 1/2"	3 1/2"	63	350 903 Reducer
	4"	63	350 504 Reducer
	4 1/2"	63	350 105 Basic
5 1/2"	4 1/2"	84	350 905 Reducer
	5"	84	350 506 Reducer
	5 1/2"	84	350 107 Basic
7"	5 7/8"	105	351 008 Reducer
	6 5/8"	105	350 409 Reducer
	6.906"	105	350 210 Reducer
7 5/8"	6.906"	105	350 710 Reducer

PSE-1000 - Drillcollar with Zip Groove


Body size	Pipe size	Quantity	Product Number
4 7/8"	4 3/4"	27	350 205 Reducer
5 7/8"	5 1/4"	27	350 406 Reducer
7 1/4"	6 1/4"	36	350 910 Reducer
	6 1/2"	36	350 710 Reducer
	6 3/4"	36	350 510 Reducer
	7"	36	350 310 Reducer
9"	8"	45	350 911 Reducer
	8 1/4"	45	350 711 Reducer
	8 1/2"	45	350 511 Reducer
	8 3/4"	45	350 311 Reducer
10 "	9"	45	350 911 Reducer
	9 1/2"	45	351 511 Reducer
	9 3/4"	45	350 311 Reducer
	10"	45	350 111 Basic

PSE-1000 - Drillcollar Plain

Body size	Pipe size	Quantity	Product Number
3 1/2"	3 1/8"	18	350 403 Reducer
	3 3/8"	18	350 203 Reducer
5 1/2"	4 3/4"	27	350 706 Reducer
	6 1/4"	36	350 510 Reducer
6 3/4"	6 1/2"	36	350 310 Reducer
	6 3/4"	36	350 110 Basic
	8"	45	350 511 Reducer
8 1/2"	8 1/4"	45	350 311 Reducer
	8 1/2"	45	350 111 Basic
	9"	45	350 511 Reducer
9 1/2"	9 1/2"	45	350 111 Basic

Rig Floor Equipment

Hydraulic Operated Power Slips



PS-350 - Casing


Body size	Pipe size	Quantity	Product Number
7"	7"	105	350 110 Basic
7 5/8"	6 5/8"	105	350 909 Reducer
	7"	105	350 610 Reducer
	7 5/8"	105	350 111 Basic
	7 3/4"	105	350 010 Oversizes
9 5/8"	8 5/8"	147	350 911 Reducer
	9 5/8"	147	350 111 Basic
10 3/4"	9 5/8"	147	351 011 Reducer
	9 7/8"	147	350 811 Reducer
	10"	147	350 712 Reducer
	10 3/4"	147	350 112 Basic
12 3/4"	11 3/4"	189	350 912 Reducer
	11 7/8"	189	350 812 Reducer
	12 3/4"	189	350 112 Basic
14"	12 3/4"	189	351 112 Reducer
	13 3/8"	189	350 612 Reducer
	13 1/2"	189	350 513 Reducer
	13 5/8"	189	350 413 Reducer
	14"	189	350 113 Basic

PS-350 - Drillpipe

Body size	Pipe size	Quantity	Product Number
3 1/2"	2 3/8"	42	351 001 Reducer
	2 7/8"	42	350 602 Reducer
	3 1/2"	42	350 103 Basic
4 1/2"	3 1/2"	63	350 903 Reducer
	4"	63	350 504 Reducer
	4 1/2"	63	350 105 Basic
5 1/2"	4 1/2"	84	350 905 Reducer
	5"	84	350 506 Reducer
	5 1/2"	84	350 107 Basic
7"	5 7/8"	105	351 008 Reducer
	6 5/8"	105	350 409 Reducer
	6.906"	105	350 210 Reducer
7 5/8"	6.906"	105	350 710 Reducer

Rig Floor Equipment

Hydraulic Operated Flush Mounted Spider



FMS 500 - Drillcollar with Zip Groove


Body size	Pipe size	Quantity	Product Number
4 7/8"	4 3/4"	27	350 205 Reducer
5 7/8"	5 1/4"	27	350 406 Reducer
7 1/4"	6 1/4"	36	350 910 Reducer
	6 1/2"	36	350 710 Reducer
	6 3/4"	36	350 510 Reducer
	7"	36	350 310 Reducer
9"	8"	45	350 911 Reducer
	8 1/4"	45	350 711 Reducer
	8 1/2"	45	350 511 Reducer
	8 3/4"	45	350 311 Reducer
10"	9"	45	350 911 Reducer
	9 1/2"	45	351 511 Reducer
	9 3/4"	45	350 311 Reducer
	10"	45	350 111 Basic

FMS-500- Drillcollar Plain

Body size	Pipe size	Quantity	Product Number
3 1/2"	3 1/8"	18	350 403 Reducer
	3 3/8"	18	350 203 Reducer
5 1/2"	4 3/4"	27	350 706 Reducer
6 3/4"	6 1/4"	36	350 510 Reducer
	6 1/2"	36	350 310 Reducer
	6 3/4"	36	350 110 Basic
8 1/2"	8"	45	350 511 Reducer
	8 1/4"	45	350 311 Reducer
	8 1/2"	45	350 111 Basic
9 1/2"	9"	45	350 511 Reducer
	9 1/2"	45	350 111 Basic

Rig Floor Equipment

Hydraulic Operated Power Slips



PS-250

Body size	Pipe size	Quantity	Product Number
3 1/2"	2 3/8"	18	351 001 Reducer
	2 7/8"	18	350 602 Reducer
	3 1/2"	18	350 103 Basic
4 1/2"	3 1/2"	27	350 903 Reducer
	4"	27	350 504 Reducer
	4 1/2"	27	350 105 Basic
5 1/2"	4 1/2"	27	350 905 Reducer
	5"	27	350 506 Reducer
	5 1/2"	27	350 107 Basic
7 5/8"	6 5/8"	36	350 909 Reducer
	7"	36	350 610 Reducer
	7 5/8"	36	350 111 Basic
	7 3/4"	36	350 011 Oversized

PS-500 - Drillpipe


Body size	Pipe size	Quantity	Product Number
3 1/2"	2 3/8"	30	351 001 Reducer
	2 7/8"	30	350 602 Reducer
	3 1/2"	30	350 103 Basic
4 1/2"	3 1/2"	45	350 903 Reducer
	4"	45	350 504 Reducer
	4 1/2"	45	350 105 Basic
5 1/2"	4 1/2"	60	350 905 Reducer
	5"	60	350 506 Reducer
	5 1/2"	60	350 107 Basic
7"	5 7/8"	75	351 008 Reducer
	6 5/8"	75	350 409 Reducer
	6.906"	75	350 210 Reducer
7 5/8"	6.906"	75	350 710 Reducer

PS-500 - Drillcollar with Zip Groove

Body size	Pipe size	Quantity	Product Number
4 7/8"	4 3/4"	27	350 205 Reducer
5 7/8"	5 1/4"	27	350 406 Reducer
7 1/4"	6 1/4"	36	350 910 Reducer
	6 1/2"	36	350 710 Reducer
	6 3/4"	36	350 510 Reducer
9"	7"	36	350 310 Reducer
	8"	45	350 911 Reducer
	8 1/4"	45	350 711 Reducer
10"	8 1/2"	45	350 511 Reducer
	8 3/4"	45	350 311 Reducer
	9"	45	350 911 Reducer
	9 1/2"	45	350 511 Reducer
	9 3/4"	45	350 311 Reducer
	10"	45	350 111 Basic

Rig Floor Equipment

Hydraulic Operated Power Slips



PS-500 - Drillcollar Plain



Body size	Pipe size	Quantity	Product Number
3 1/2"	3 1/8"	18	350 403 Reducer
	3 3/8"	18	350 203 Reducer
5 1/2"	4 3/4"	27	350 706 Reducer
6 3/4"	6 1/4"	36	350 510 Reducer
	6 1/2"	36	350 310 Reducer
8 1/2"	6 3/4"	36	350 110 Basic
	8"	45	350 511 Reducer
	8 1/4"	45	350 311 Reducer
	8 1/2"	45	350 111 Reducer
9 1/2"	9"	45	350 511 Reducer
	9 1/2"	45	350 111 Basic

PS-500 - Casing

Body size	Pipe size	Quantity	Product Number
7"	7"	75	350 110 Basic
7 5/8"	6 5/8"	75	350 909 Reducer
	7"	75	350 610 Reducer
	7 5/8"	75	350 111 Basic
9 5/8"	7 3/4"	75	350 010 Oversized
	8 5/8"	105	350 911 Reducer
	9 5/8"	105	350 111 Basic
10 3/4"	9 5/8"	105	351 011 Reducer
	9 7/8"	105	350 811 Reducer
	10"	105	350 712 Reducer
12 3/4"	10 3/4"	105	350 112 Basic
	11 3/4"	135	350 912 Reducer
	11 7/8"	135	350 812 Reducer
14"	12 3/4"	135	350 112 Basic
	12 3/4"	135	351 112 Reducer
	13 3/8"	135	350 612 Reducer
	13 1/2"	135	350 513 Reducer
	13 5/8"	135	350 413 Reducer
	14"	135	350 113 Basic

Rig Floor Equipment

Hydraulic Operated Power Slips



PS-750/1 - Drillpipe

Body size	Pipe size	Quantity	Product Number
3 1/2"	2 3/8"	42	351 001 Reducer
	2 7/8"	42	350 602 Reducer
	3 1/2"	42	350 103 Basic
4 1/2"	3 1/2"	63	350 903 Reducer
	4"	63	350 504 Reducer
	4 1/2"	63	350 105 Basic
5 1/2"	4 1/2"	84	350 905 Reducer
	5"	84	350 506 Reducer
	5 1/2"	84	350 107 Basic
7"	5 7/8"	105	351 008 Reducer
	6 5/8"	105	350 409 Reducer
	6.906"	105	350 210 Reducer
7 5/8"	6.906"	105	350 710 Reducer

PS-750/1 - Drillcollar with Zip Groove


Body size	Pipe size	Quantity	Product Number
4 7/8"	4 3/4"	27	350 205 Reducer
5 7/8"	5 1/4"	27	350 406 Reducer
7 1/4"	6 1/4"	36	350 910 Reducer
	6 1/2"	36	350 710 Reducer
	6 3/4"	36	350 510 Reducer
	7"	36	350 310 Reducer
9"	8"	45	350 911 Reducer
	8 1/4"	45	350 711 Reducer
	8 1/2"	45	350 511 Reducer
	8 3/4"	45	350 311 Reducer
10 "	9"	45	350 911 Reducer
	9 1/2"	45	351 511 Reducer
	9 3/4"	45	350 311 Reducer
	10"	45	350 111 Basic

PS-750/1 - Drillcollar Plain

Body size	Pipe size	Quantity	Product Number
3 1/2"	3 1/8"	18	350 403 Reducer
	3 3/8"	18	350 203 Reducer
5 1/2"	4 3/4"	27	350 706 Reducer
	6 1/4"	36	350 510 Reducer
6 3/4"	6 1/2"	36	350 310 Reducer
	6 3/4"	36	350 110 Basic
	8"	45	350 511 Reducer
8 1/2"	8 1/4"	45	350 311 Reducer
	8 1/2"	45	350 111 Basic
	9"	45	350 511 Reducer
9 1/2"	9 1/2"	45	350 111 Basic

Rig Floor Equipment

Hydraulic Operated Power Slips



PS-750/1 - Casing



Body size	Pipe size	Quantity	Product Number
7"	7"	105	350 110 Basic
7 5/8"	6 5/8"	105	350 909 Reducer
	7"	105	350 610 Reducer
	7 5/8"	105	350 111 Basic
	7 3/4"	105	350 010 Oversizes
9 5/8"	8 5/8"	147	350 911 Reducer
	9 5/8"	147	350 111 Basic
10 3/4"	9 5/8"	147	351 011 Reducer
	9 7/8"	147	350 811 Reducer
	10"	147	350 712 Reducer
	10 3/4"	147	350 112 Basic
12 3/4"	11 3/4"	189	350 912 Reducer
	11 7/8"	189	350 812 Reducer
	12 3/4"	189	350 112 Basic
14"	12 3/4"	189	351 112 Reducer
	13 3/8"	189	350 612 Reducer
	13 1/2"	189	350 513 Reducer
	13 5/8"	189	350 413 Reducer
	14"	189	350 113 Basic

PS-750/2 + PS 1000 - Drillpipe

Body size	Pipe size	Quantity	Product Number
3 1/2"	2 3/8"	42	351 001 Reducer
	2 7/8"	42	350 602 Reducer
	3 1/2"	42	350 103 Basic
4 1/2"	3 1/2"	63	350 903 Reducer
	4"	63	350 504 Reducer
	4 1/2"	63	350 105 Basic
5 1/2"	4 1/2"	84	350 905 Reducer
	5"	84	350 506 Reducer
	5 1/2"	84	350 107 Basic
7"	5 7/8"	105	351 008 Reducer
	6 5/8"	105	350 409 Reducer
	6.906"	105	350 210 Reducer
7 5/8"	6.906"	105	350 710 Reducer

Rig Floor Equipment

Hydraulic Operated Power Slips



PS-750/2 + PS 1000 - Drillcollar with Zip Groove


Body size	Pipe size	Quantity	Product Number
4 7/8"	4 3/4"	27	350 205 Reducer
5 7/8"	5 1/4"	27	350 406 Reducer
7 1/4"	6 1/4"	36	350 910 Reducer
	6 1/2"	36	350 710 Reducer
	6 3/4"	36	350 510 Reducer
	7"	36	350 310 Reducer
9"	8"	45	350 911 Reducer
	8 1/4"	45	350 711 Reducer
	8 1/2"	45	350 511 Reducer
	8 3/4"	45	350 311 Reducer
10"	9"	45	350 911 Reducer
	9 1/2"	45	351 511 Reducer
	9 3/4"	45	350 311 Reducer
	10"	45	350 111 Basic

PS-750/2 + PS 1000 - Drillcollar Plain

Body size	Pipe size	Quantity	Product Number
3 1/2"	3 1/8"	18	350 403 Reducer
	3 3/8"	18	350 203 Reducer
5 1/2"	4 3/4"	27	350 706 Reducer
6 3/4"	6 1/4"	36	350 510 Reducer
	6 1/2"	36	350 310 Reducer
	6 3/4"	36	350 110 Basic
8 1/2"	8"	45	350 511 Reducer
	8 1/4"	45	350 311 Reducer
	8 1/2"	45	350 111 Basic
9 1/2"	9"	45	350 511 Reducer
	9 1/2"	45	350 111 Basic

Rig Floor Equipment



Hydraulic Operated Power Slips



PS-750/2 + PS 1000 - Casing			
Body size	Pipe size	Quantity	Product Number
7 "	7 "	105	350 110 Basic
7 5/8"	6 5/8"	105	350 909 Reducer
	7 "	105	350 610 Reducer
	7 5/8"	105	350 111 Basic
	7 3/4"	105	350 010 Oversized
9 5/8"	8 5/8"	147	350 911 Reducer
	9 5/8"	147	350 111 Basic
10 3/4"	9 5/8"	147	351 011 Reducer
	9 7/8"	147	350 811 Reducer
	10"	147	350 712 Reducer
	10 3/4"	147	350 112 Basic
12 3/4"	11 3/4"	189	350 912 Reducer
	11 7/8"	189	350 812 Reducer
	12 3/4"	189	350 112 Basic
14"	12 3/4"	189	351 112 Reducer
	13 3/8"	189	350 612 Reducer
	13 1/2"	189	350 513 Reducer
	13 5/8"	189	350 413 Reducer
	14"	189	350 113 Basic
17"	16"	210	350 913 Reducer
	17"	210	350 113 Basic
18 5/8"	18"	252	350 613 Reducer
	18 5/8"	252	350 113 Basic
20"	18 5/8"	273	351 213 Reducer
	20"	273	350 113 Basic
22"	22"	259	350 113 Basic

Rig Floor Equipment



Hydraulic Operated Load Rated Master Bushing



LRMB- Casing			
Body size	Pipe size	Quantity	Product Number
7 "	7 "	105	350 110 Basic
7 5/8"	6 5/8"	105	350 909 Reducer
	7 "	105	350 610 Reducer
	7 5/8"	105	350 111 Basic
	7 3/4"	105	350 010 Oversized
9 5/8"	8 5/8"	147	350 911 Reducer
	9 5/8"	147	350 111 Basic
10 3/4"	9 5/8"	147	351 011 Reducer
	9 7/8"	147	350 811 Reducer
	10"	147	350 712 Reducer
	10 3/4"	147	350 112 Basic
12 3/4"	11 3/4"	189	350 912 Reducer
	11 7/8"	189	350 812 Reducer
	12 3/4"	189	350 112 Basic
14"	12 3/4"	189	351 112 Reducer
	13 3/8"	189	350 612 Reducer
	13 1/2"	189	350 513 Reducer
	13 5/8"	189	350 413 Reducer
	14"	189	350 113 Basic
17"	16"	210	350 913 Reducer
	17"	210	350 113 Basic
18 5/8"	18"	252	350 613 Reducer
	18 5/8"	252	350 113 Basic
20"	18 5/8"	273	351 213 Reducer
	20"	273	350 113 Basic
22"	22"	259	350 113 Basic

Rig Floor Equipment


Hydraulic Operated Casing Slip Lifter



DCS			
API Pipe Size O.D.	Quantity	Product Number	Dimensions (H x W x L)
3" - 4"	49	80155 Reducer	0,947" x 1,287" x 1,102"
4" - 4.7/8"	49	80151 Basic	0,447" x 1,287" x 1,102"
DCM			
API Pipe Size O.D.	Quantity	Product Number	Dimensions (H x W x L)
4.1/2" - 6"	63	80155 Reducer	0,947" x 1,287" x 1,102"
5.1/2" - 7"	63	80151 Basic	0,447" x 1,287" x 1,102"
DCL			
API Pipe Size O.D.	Quantity	Product Number	Dimensions (H x W x L)
6.3/4" - 8.1/4"	88	80156 Basic	0,447" x 1,287" x 1,102"
8" - 9.1/2"	96	80156 Basic	0,447" x 1,287" x 1,102"
8.1/2" - 10"	104	80154 Reducer	0,760" x 1,287" x 1,102"
9.1/4" - 11.1/4"	112	80156 Basic	0,447" x 1,287" x 1,102"
11" - 12.3/4"	136	80152 Reducer	1,010" x 1,287" x 1,102"
12" - 14"	136	80156 Basic	0,447" x 1,287" x 1,102"

Rig Floor Equipment

Tongs



TONGS - Straight Tooth Die

Typ	Quantity		Dimensions (H x W x L)
BV-25	3	70322	1/2" x 1 1/4" x 5"
BV-35	4	70322	1/2" x 1 1/4" x 5"
BV-37	4	70222	3/8" x 1" x 5 3/4"
BV-55	4	70622	1/2" x 1 1/4" x 5 7/8"
BV-55 c	2	70622	1/2" x 1 1/4" x 5 7/8"
BV-57	4	70622	1/2" x 1 1/4" x 5 7/8"
BV-65	5	70622	1/2" x 1 1/4" x 5 7/8"
BV-80	4	70622	1/2" x 1 1/4" x 5 7/8"
BV-100	5	70322	1/2" x 1 1/4" x 5"
BV-100 c	3	70322	1/2" x 1 1/4" x 5"
WRT-35	5	70322	1/2" x 1 1/4" x 5"
WRT-55	5	70622	1/2" x 1 1/4" x 5 7/8"
WRT-55 c	2	70622	1/2" x 1 1/4" x 5 7/8"
WRT-135	5	70622	1/2" x 1 1/4" x 5 7/8"

TONGS - Diamond Tooth Die


Typ	Quantity		Dimensions (H x W x L)
BV-35	4	70676	1/2" x 1 1/4" x 5"
BV-55	4	70675	1/2" x 1 1/4" x 5 7/8"

FLOORHAND - Blue Diamond Die

Typ	Quantity		Dimensions (H x W x L)
All Models	4	9FH-70622	1/2" x 1 1/4" x 5 3/8"

Rig Floor Equipment



Manual Rotary Slips



RSM			
Body size	Pipe size	Quantity	Standard Style
3 1/2"	2 3/8"	30	80110 Reducer
	2 7/8"	30	80111 Reducer
	3 1/2"	30	80112 Basic
RSX			
Body size	Pipe size	Quantity	Standard Style
4 1/2"	3 1/2"	54	80113 Reducer
	4"	54	80114 Reducer
	4 1/2"	54	80115 Basic
5"	4"	54	80118 Reducer
	4 1/2"	54	80116 Reducer
	5"	54	80117 Basic
5 1/2"	4 1/2"	54	80118 Reducer
	5"	54	80119 Reducer
	5 1/2"	54	80120 Basic
6 5/8"	5 7/8"	54	80130 Reducer
	6 5/8"	54	80131 Basic
7"	6"	72	80118 Reducer
	6 5/8"	72	80122 Reducer
	7"	72	80123 Basic

Rig Floor Equipment



Manual Rotary Slips



DCS			
API Pipe Size O.D.	Quantity	Product Number	Dimensions (H x W x L)
3" - 4"	49	80155 Reducer	0,947" x 1,287" x 1,102"
4" - 4.7/8"	49	80151 Basic	0,447" x 1,287" x 1,102"
DCM			
API Pipe Size O.D.	Quantity	Product Number	Dimensions (H x W x L)
4.1/2" - 6"	63	80155 Reducer	0,947" x 1,287" x 1,102"
5.1/2" - 7"	63	80151 Basic	0,447" x 1,287" x 1,102"
DCL			
API Pipe Size O.D.	Quantity	Product Number	Dimensions (H x W x L)
6.3/4" - 8.1/4"	88	80156 Basic	0,447" x 1,287" x 1,102"
8" - 9.1/2"	96	80156 Basic	0,447" x 1,287" x 1,102"
8.1/2" - 10"	104	80154 Reducer	0,760" x 1,287" x 1,102"
9.1/4" - 11.1/4"	112	80156 Basic	0,447" x 1,287" x 1,102"
11" - 12.3/4"	136	80152 Reducer	1,010" x 1,287" x 1,102"
12" - 14"	136	80156 Basic	0,447" x 1,287" x 1,102"

Rig Floor Equipment



Manual Casing Slips



CSL				
Pipe size	Quantity	Product Number		Dimensions (H x W x L)
6.5/8"	144	80155	Reducer	0,947" x 1,287" x 1,102"
7"	144	80150	Reducer	0,760" x 1,287" x 1,102"
7.5/8" & 7.3/4"	144	80156	Basic	0,447" x 1,287" x 1,102"
8.5/8"	156	80156	Basic	0,447" x 1,287" x 1,102"
9.5/8" & 9.7/8"	168	80156	Basic	0,447" x 1,287" x 1,102"
10.3/4"	180	80156	Basic	0,447" x 1,287" x 1,102"
11.3/4"&11.7/8"	204	80154	Reducer	0,760" x 1,287" x 1,102"
12.3/4"	204	80158	Reducer	1,135" x 1,287" x 1,102"
13.3/8" & 19 1/2"	216	80156	Basic	0,447" x 1,287" x 1,102"
13.5/8" & 14"	240	80158	Reducer	1,135" x 1,287" x 1,102"
16"	252	80157	Basic	0,447" x 1,287" x 1,102"
18"	288	80158	Reducer	1,135" x 1,287" x 1,102"
18.5/8" & 18 3/4"	300	80153	Reducer	0,822" x 1,287" x 1,102"
20"	312	80157	Basic	0,447" x 1,287" x 1,102"
22"	360	80158	Reducer	1,135" x 1,287" x 1,102"
24"	360	80157	Basic	0,447" x 1,287" x 1,102"
26"	396	80157	Basic	0,447" x 1,287" x 1,102"
28"	432	80158	Reducer	1,135" x 1,287" x 1,102"
30"	444	80157	Basic	0,447" x 1,287" x 1,102"
CSC				
Pipe size	Quantity	Product Number		Dimensions (H x W x L)
24"	156	80157	Basic	0,447" x 1,287" x 1,102"
26"	168	80157	Basic	0,447" x 1,287" x 1,102"
28"	180	80157	Basic	0,447" x 1,287" x 1,102"
30"	192	80157	Basic	0,447" x 1,287" x 1,102"
36"	228	80157	Basic	0,447" x 1,287" x 1,102"

Rig Floor Equipment

Safety Clamps



„C“ Type Safety Clamp



„T“ Type Safety Clamp

T-Clamp

P/N	Range OD from to	Quantity required	Product Number	Dimensions (H x W x L)
88003	1.1/8" 2"	4	99451	0,682" x 0,945" x 2,677"
88004	2.1/8" 3.1/4"	5	99451	0,682" x 0,945" x 2,677"
88055	3.1/4" 4.1/2"	6	99451	0,682" x 0,945" x 2,677"

C-Clamp

Manual P/N	Range OD from to	Quantity required	Product Number	Dimensions (H x W x L)
99 500	3.3/4" 4.5/8"	7	99608	0,906" x 1,433" x 3,150"
99 501	4.1/2" 5.5/8"	8	99608	0,906" x 1,433" x 3,150"
99 502	5.1/2" 6.5/8"	9	99608	0,906" x 1,433" x 3,150"
99 503	6.1/2" 7.5/8"	10	99608	0,906" x 1,433" x 3,150"
99 504	7.1/2" 8.5/8"	11	99608	0,906" x 1,433" x 3,150"
99 505	8.1/2" 9.5/8"	12	99608	0,906" x 1,433" x 3,150"
99 506	9.1/2" 10.5/8"	13	99608	0,906" x 1,433" x 3,150"
99 507	10.1/2" 11.5/8"	14	99608	0,906" x 1,433" x 3,150"
99 508	11.1/2" 12.5/8"	15	99608	0,906" x 1,433" x 3,150"
99 509	12.1/2" 13.5/8"	16	99608	0,906" x 1,433" x 3,150"
99 510	13.1/2" 14.5/8"	17	99608	0,906" x 1,433" x 3,150"
99 511	14.1/2" 15.5/8"	18	99608	0,906" x 1,433" x 3,150"
99 512	15.1/2" 16.5/8"	18	99608	0,906" x 1,433" x 3,150"
99 513	16.1/2" 17.5/8"	19	99608	0,906" x 1,433" x 3,150"
99 514	17.1/2" 18.5/8"	20	99608	0,906" x 1,433" x 3,150"
99 515	18.1/2" 19.5/8"	21	99608	0,906" x 1,433" x 3,150"
99 516	19.1/2" 22"	23	99608	0,906" x 1,433" x 3,150"
99 517	21.1/2" 23"	24	99608	0,906" x 1,433" x 3,150"
99 518	22.1/2" 24"	25	99608	0,906" x 1,433" x 3,150"
99 519	24.1/2" 26"	27	99608	0,906" x 1,433" x 3,150"
99 525	29.1/2" 30.1/2"	32	99608	0,906" x 1,433" x 3,150"
99 526	35.1/2" 36.1/2"	38	99608	0,906" x 1,433" x 3,150"

C-Clamp

Air P/N	Range OD from to	Quantity required	Product Number	Dimensions (H x W x L)
99 500-1	3.3/4" 4.5/8"	5	99608	0,906" x 1,433" x 3,150"
99 501-1	4.1/2" 5.5/8"	6	99608	0,906" x 1,433" x 3,150"
99 502-1	5.1/2" 6.5/8"	7	99608	0,906" x 1,433" x 3,150"
99 503-1	6.1/2" 7.5/8"	8	99608	0,906" x 1,433" x 3,150"
99 504-1	7.1/2" 8.5/8"	9	99608	0,906" x 1,433" x 3,150"
99 505-1	8.1/2" 9.5/8"	10	99608	0,906" x 1,433" x 3,150"
99 506-1	9.1/2" 10.5/8"	11	99608	0,906" x 1,433" x 3,150"
99 507-1	10.1/2" 11.5/8"	12	99608	0,906" x 1,433" x 3,150"
99 508-1	11.1/2" 12.5/8"	13	99608	0,906" x 1,433" x 3,150"
99 509-1	12.1/2" 13.5/8"	14	99608	0,906" x 1,433" x 3,150"
99 510-1	13.1/2" 14.5/8"	15	99608	0,906" x 1,433" x 3,150"
99 511-1	14.1/2" 15.5/8"	16	99608	0,906" x 1,433" x 3,150"
99 512-1	15.1/2" 16.5/8"	17	99608	0,906" x 1,433" x 3,150"
99 513-1	16.1/2" 17.5/8"	18	99608	0,906" x 1,433" x 3,150"
99 514-1	17.1/2" 18.5/8"	19	99608	0,906" x 1,433" x 3,150"
99 515-1	18.1/2" 19.5/8"	20	99608	0,906" x 1,433" x 3,150"
99 516-1	19.1/2" 22"	22	99608	0,906" x 1,433" x 3,150"

We at FORUm Energy Technologies treat customer service as one of our core values and understand the needs of our clients and the importance of Repair- and maintenance Services.

We provide a highly efficient global Repair- and maintenance Service Centers combined with a worldwide network of authorized service facilities and on-site service.

FORUM After Sales Service offerings:

- Customer-oriented service with highest quality standards
- maintenance in accordance with to API inspection categories III and IV
- Overhaul, repair and rebuild of equipment by using FORUm parts only
- Recertification of FORUm Handling Tools including performance load test, 100% NDT and documentation, according to API 7k and API 8C
- Equipment upgrades to comply with API 7k 6th Edition requirements
- Product upgrades per latest FORUm standards
- On-site and in-house Equipment Training
- Installation and Commissioning Service
- Troubleshooting





Service Locations

Canada
USA
Colombia
Scotland
Norway

Germany
Oman
Abu Dhabi
Singapore

Equipment of Locations

Load Test Links
 Load Test Elevators
 Load Test Slips
 Load Test Tongs
 Weld Repair
 NDT
 CNC machining
 Hydraulic Power Unit

Our goal is to become the leading provider of mission critical oilfield products and related services in terms of customer satisfaction, safety and financial performance.

Our experienced management team and employees are dedicated to solving our customers' problems. We invest in long term relationships and cooperate on product development with our clients, we consider them our partners.

OUR CORE VALUES

No one gets hurt: The safety of our employees and customers is our first priority coupled with a healthy respect for the environment.

Integrity: In everything we do, in every interaction, both internally and externally, we strive to operate with the upmost integrity and mutual respect.

Customer focused: Our products enhance our customer's performance and we listen to their needs and work with them to solve their challenges.

Good place to work: We are committed to creating a workplace that fosters innovation, teamwork and pride. Every team member is integral to our success and is treated equally and fairly.



920 memorial City Way, Suite 800
Houston, TX 77024
281.949.2500 281.949.2554 [f]
f-e-t.com
blohmvooss-oiltools.com